

EVERGREEN

drive to the future



DYNACONTROL
E5880



SUV / 4x4 | ULTRA HIGH PERFORMANCE



ULTRA HIGH PERFORMANCE

Specialized engineers have worked tirelessly to develop a line of UHP tires that can handle the increased speed, torque, and G-forces generated by the extra horsepower, enhanced brakes, and the vehicle's sport-tuned suspension. These tires will deliver performance characteristics and safety margins you can rely on, so you can sit back and enjoy your drive.

DYNACONTROL ES880



Handling



Comfort



Drainage



Safety



Braking

The DynaControl ES880 is designed to focus on superior handling and traction for a sportier feel and an enhanced driving experience. This ultra-high-performance tire is suitable for those looking for maximum grip and handling for 4X4 and SUVs.

V/W/Y Rated
U.T.Q.G 280/AA/A
35/40/45/50/55 Series



HIGH-SPEED HANDLING

Handling is crucial when it comes to safety, vehicle stability, and driving pleasure. Tires play an important role in vehicle handling, especially when driving at high speeds.



Stability

The asymmetrical tread pattern and compact shoulder design provide excellent handling stability, especially at high speeds or when cornering

Extra Support

High-density rayon and polyester carcass provide extra support at high speeds.



Quick Response

Wider tires with lower aspect ratios benefit handling performance and have more to do with wider contact patch shapes.

OPTIMUM GRIP IN ALL DRIVING SITUATIONS

High levels of grip improve acceleration, braking, and overall handling—the car's responsiveness to driver input. A car with good handling allows the driver to respond to situations with minimal effort.



Anti-Slip Protection

Wide tread grooves ensure drainage and grip, which provide excellent anti-slip protection.



Turning Control

Stiff sidewalls prevent deformation under braking and cornering. This helps maintain the width of the contact patch.

VERY HIGH SAFETY

The DynaControl ES880 is designed to improve your safety in your vehicle, it features high performance that provides the shortest braking distances at high speeds, greater lateral grip, and more intuitive control than standard tires.



Maximum Contact

The sidewalls are narrower to create room for larger brakes.

Breaking Performance

The wider tread ensures high-speed safety and maximum contact with the road.



DYNACONTROL
ES880



Inch	Size	LI / SI	Overall Diameter		Section Width		Standard Rim	Max. Load	Max. Pressure	SIDEWALL
			mm	inch	mm	inch		kg	kpa	
18"	215/55R18 XL	99W	693	27.3	226	8.9	7J	775	340	BSW
	225/55R18 XL	102V	705	27.8	233	9.2	7J	850	340	BSW
	235/55R18 XL	104V	715	28.1	245	9.6	7½J	900	340	BSW
19"	225/45ZR19 XL	96W	685	26.7	225	8.6	7½J	710	340	BSW
	225/55R19	99V	731	28.8	233	9.1	7J	775	300	BSW
	245/45ZR19 XL	102Y	703	27.7	243	9.6	8J	850	340	BSW
	275/35ZR19	96Y	675	26.6	278	10.9	9 ½J	710	300	BSW
20"	265/50R20 XL	111V	774	30.5	277	10.9	8½J	1090	340	BSW
	275/35R20 XL	102Y	700	27.6	278	10.9	9½J	850	340	BSW
	275/40R20 XL	106Y	728	28.7	278	10.9	9½J	950	340	BSW
	315/35R20 XL	110Y	728	28.7	320	12.6	11J	1060	340	BSW
21"	295/35ZR21 XL	107Y	739	29.0	301	11.9	10½J	975	340	BSW

EVERGREEN TIRE

Add: Building No. 5, Lane 388 Daduhe Road,
Shanghai 200062, China

Tel: (+86) (21) 6295 5670

E-mail: evergreentyre@evergreentyre.com

www.evergreentyre.com