

EVERGREEN TIRE

Add: Building No. 5, Lane 388 Daduhe Road, Shanghai 200062, China

Tel: (+86) (21) 6295 5670

E-mail: evergreentyre@evergreentyre.com

www.evergreentyre.com



EVERGREEN
drive to the future

Ice Tour 
i5
Studdable winter tire



WINTER STUDDABLE

EVERGREEN Winter Studdable tire is designed to improve driving safety and performance on ice and snow, suitable for various types of vehicles such as passenger cars, SUVs, 4X4s, and light trucks.

IceTour i5



Safety



Braking



Silence



Fuel-saving



Snow



M+S

T/H/S/Q/R Rated
40/45/50/55/60/65/70/75/80 Series

The IceTour i5 winter tire provides excellent traction and stability on slippery roads during winter, while also having a strong structure and long-lasting durability perfect for harsh winter conditions.





Studdable Tread Design

The studdable tread design is specially designed to provide better grip and traction on slippery roads and improve driving safety and braking performance during harsh winter weather conditions, helping drivers to avoid accidents caused by skidding or sliding.

Safety and Beyond

M+S (Mud + Snow) marked tires and Three-Peak Mountain Snowflake (3PMSF) tires deliver winter performance that is legally certified. With the IceTour i5, you can enjoy the winter season without worrying.



M+S





Ultra Winter Traction

Studded-line and pins arrayed randomly contribute to the high grip force and improve resistance to sideslip on snow & ice ground.




Advanced Sipping Technology

Advanced 3D sipping technology enhances the grip and traction, allowing for better maneuverability and control on the snow surface.




V-Shaped Tread

Provides improved traction on icy and snowy roads, as well as greater resistance to skidding.



Wide Zig-Zag Grooves

Contributes to great braking performance on snowy and icy surfaces while also effectively draining water.



Silica Compound

Reduces rolling resistance, carbon emission, and fuel consumption.



Inch	Size	LI / SI	P R	Overall Diameter		Section Width		Standard Rim	Stud Size EN
				mm	inch	mm	inch		
13"	155/80R13	79T		578	22.8	157	6.2	4.50B	9-11
	175/70R13	82T		576	22.7	177	7.0	5.00B	9-11
14"	175/65R14	82T		584	23	177	7.0	5J	9-11
	175/70R14	84T		602	23.7	177	7.0	5J	9-11
	185/60R14	82T		578	22.8	189	7.4	5½J	9-11
	185/65R14	86T		596	23.5	189	7.4	5½J	9-11
	185/70R14	88T		616	24.3	189	7.4	5½J	9-11
	175/65R15	84T		609	24	177	7.0	5J	9-11
15"	185/55R15	82T		585	23	194	7.6	6J	9-11
	185/60R15	84T		603	23.7	189	7.4	5½J	9-11
	185/65R15	88T		621	24.4	189	7.4	5½J	9-11
	195/60R15	88T		615	24.2	201	7.9	6J	9-11
	195/65R15	91T		635	25	201	7.9	6J	9-11
	205/65R15	94T		647	25.5	209	8.2	6J	9-11
	205/70R15	96T		669	26.3	209	8.2	6J	9-11
	215/70R15	98T		683	26.9	221	8.7	6½J	9-11
	235/75R15	105S		733	28.9	235	9.3	6½J	9-12
	205/55R16	91T		632	24.9	214	8.4	6½J	9-11
16"	205/60R16	92T		652	25.7	209	8.2	6J	9-11
	205/65R16	95T		672	26.5	209	8.2	6J	9-11
	215/55R16 XL	97H		642	25.3	226	8.9	7J	9-11
	215/60R16	95T		664	26.1	221	8.7	6½J	9-11
	215/65R16	98T		686	27	221	8.7	6½J	9-11
	215/70R16	100S		708	27.9	221	8.7	6½J	9-12
	225/60R16	98T		676	26.6	228	9.0	6½J	9-11
	225/65R16	100T		698	27.5	228	9.0	6½J	9-11
	225/70R16	103S		722	28.4	228	9.0	6½J	9-12
	235/70R16	106S		736	29	240	9.4	7J	9-12
	245/70R16	107S		750	29.5	248	9.8	7J	9-12
	245/75R16	111S		774	30.5	248	9.8	7J	9-12
	LT225/75R16	115/112Q	10	744	29.3	223	8.8	6J	9-13
	LT245/75R16	120/116Q	10	774	30.5	248	9.8	7J	9-13
17"	215/45R17 XL	91T		626	24.6	213	8.4	7J	9-11

Inch	Size	LI / SI	P R	Overall Diameter		Section Width		Standard Rim	Stud Size EN
				mm	inch	mm	inch		
17"	215/50R17 XL	95T		648	25.5	226	8.9	7J	9-11
	215/55R17	94T		668	26.3	226	8.9	7J	9-12
	215/60R17	96T		690	27.2	221	8.7	6½J	9-11
	215/65R17	99T		712	28	221	8.7	6½J	9-12
	225/45R17 XL	94H		634	25	225	8.9	7½J	9-11
	225/50R17 XL	98H		658	25.9	233	9.2	7J	9-11
	225/55R17	97T		680	26.8	233	9.2	7J	9-12
	225/60R17	99T		702	27.6	228	9.0	6½J	9-11
	225/65R17	102S		724	28.5	228	9.0	6½J	9-12
	235/55R17	99H		690	27.2	245	9.6	7½J	9-11
	235/60R17	102H		714	28.1	240	9.4	7J	9-11
	235/65R17	104S		738	29.1	240	9.4	7J	9-12
	245/65R17	107S		750	29.5	248	9.8	7J	9-12
	245/70R17	110S		776	30.6	248	9.8	7J	9-12
	265/65R17	112T		776	30.6	272	10.7	8J	9-12
	265/70R17	115S		804	31.7	272	10.7	8J	9-12
	LT245/70R17	119/116Q	10	776	30.6	248	9.8	7J	9-13
	LT245/75R17	121/118R	10	806	31.7	248	9.8	7J	9-13
	LT265/70R17	121/118Q	10	804	31.7	272	10.7	8J	9-13
18"	225/40R18 XL	92H		637	25.1	230	9.1	8J	9-11
	225/45R18 XL	95T		659	25.9	225	8.9	7½J	9-11
	225/55R18	98T		705	27.8	233	9.2	7J	9-11
	225/60R18	100T		727	28.6	228	9.0	6½J	9-11
	235/55R18	100H		715	28.1	245	9.6	7½J	9-12
	235/60R18 XL	107T		739	29.1	240	9.4	7J	9-11
	235/65R18	106T		763	30	240	9.4	7J	9-12
	245/60R18	105T		751	29.6	248	9.8	7J	9-12
	255/55R18	105H		737	29	265	10.4	8J	9-11
	265/60R18	110T		775	30.5	272	10.7	8J	9-12
	275/65R18	116S		815	32.1	279	11.0	8J	9-12
	LT275/65R18	123/120R	10	815	32.1	279	11.0	8J	9-13
19"	LT275/70R18	125/122R	10	843	33.2	279	11.0	8J	9-13
	235/55R19	101H		741	29.2	245	9.6	7½J	9-1119
20"	255/50R19 XL	107H		739	29.1	265	10.4	8J	9-11
	275/40R20 XL	106H		728	28.7	278	10.9	9½J	9-12
	275/55R20 XL	117S		810	31.9	284	11.2	8½J	9-12